

AVIAN Species on Darakuta

Name	Latin Name	IUCN Status
African Broadbill	<i>Smithornis capensis</i>	LC
African crowned eagle	<i>Stephanoaetus coronatus</i>	NT
African emerald cuckoo	<i>Chrysococcyx cupreus</i>	LC
African paradise-flycatcher	<i>Terpsiphone viridis</i>	LC
Black saw-wing	<i>Psalidoprocne holomelas</i>	LC
Crested guineafowl	<i>Guttera pucherani</i>	LC
Crowned hornbill	<i>Tockus alboterminatus</i>	LC
Grey cuckoo-shrike	<i>Coracina caesia</i>	LC
Grey-olive greenbul	<i>Phyllastrephus cerviniventris</i>	LC
Hartlaubs turaco	<i>Tauraco hartlaubi</i>	LC
Narina trogon	<i>Apaloderma narina</i>	LC
Red-capped Robin-chat	<i>Cossypha natalensis</i>	LC
Red-eyed dove	<i>Streptopelia semitorquata</i>	LC
Silvery-cheeked hornbill	<i>Bycanistes brevis</i>	LC
Tambourine dove	<i>Turtur tympanistria</i>	LC
Tropical boubou	<i>Laniarius aethiopicus</i>	LC
African drongo	<i>Dicrurus adsimilis</i>	LC
African green-pigeon	<i>Treron calva</i>	LC
African grey hornbill	<i>Tockus nasutus</i>	LC
African stonechat	<i>Saxicola torquatus</i>	LC
Amethyst sunbird	<i>Chalcomitra amethystine</i>	LC
Arrow-marked babbler	<i>Turdoides aylmeri</i>	LC
Augur buzzard	<i>Buteo augur</i>	LC
Black-crowned tchagra	<i>Tchagra senegala</i>	LC
Bronze sunbird	<i>Nectarinia kilimensis</i>	LC
Chinspot batis	<i>Batis molitor</i>	LC
Common bulbul	<i>Pycnonotus barbatus</i>	LC
Emeraldspotted wood-dove	<i>Turtur chalcospilos</i>	LC
Green wood-hoopoe	<i>Phoeniculus purpureus</i>	LC
Green-headed sunbird	<i>Cyanomitra verticalis</i>	LC
Grey-backed camaroptera	<i>Camaroptera brachyura</i>	LC
Grey-headed kingfisher	<i>Halcyon leucocephala</i>	LC
Hildebrandts francolin	<i>Francolinus hildebrandti</i>	LC
Little bee-eater	<i>Merops pusillus</i>	LC
Little swift	<i>Apus affinis</i>	LC
Long-crested eagle	<i>Lophaetus occipitalis</i>	LC
Peter's twinspace	<i>Hypargos niveoguttatus</i>	LC
Red-billed firefinch	<i>Lagonosticta senegala</i>	LC
Red-rumped swallow	<i>Hirundo daurica</i>	LC

Ring-necked dove	<i>Streptopelia capicola</i>	LC
Scarlet-chested sunbird	<i>Chalcomitra senegalensis</i>	LC
Southern fiscal	<i>Lanius collaris</i>	LC
Speckled mousebird	<i>Colius striatus</i>	LC
Spectacled weaver	<i>Ploceus ocularis</i>	LC
Spot-flanked barbet	<i>Tricholaema lacrymosa</i>	LC
Tawny-flanked prinia	<i>Prinia subflava</i>	LC
Trilling cisticola	<i>Cisticola woosnami</i>	LC
Variable sunbird	<i>Cinnyris venusta</i>	LC
White-browed coucal	<i>Centropus superciliosus</i>	LC
White-browed robin-chat	<i>Cossypha heuglini</i>	LC
White-naped raven	<i>Corvus albicollis</i>	LC
Yellow-bellied greenbul	<i>Chlorocichla flaviventris</i>	LC

FAUNA on Darakuta

Name	Latin Name	IUCN Status
African clawless otter	<i>Aonyx capensis</i>	NT
Blotched genet	<i>Genetta tigrina</i>	LC
Blue monkey	<i>Cercopithecus mitis</i>	LC
Bushbuck	<i>Tragelaphus scriptus</i>	LC
Bushpig	<i>Potamochoerus larvatus</i>	LC
Greater galago	<i>Otolemur crassicaudatus</i>	LC
Harveys duiker	<i>Cephalophus harveyi</i>	LC
Leopard	<i>Panthera pardus</i>	VU
Olive baboon	<i>Papio anubis</i>	LC
Waterbuck	<i>Kobus ellipsiprymnus</i>	LC
Aardvark	<i>Orycteropodidae afer</i>	LC
Bush duiker	<i>Sylvicapra grimmia</i>	LC
Common Genet	<i>Genetta genetta</i>	LC
Crested porcupine	<i>Hystrix cristata</i>	LC
Klipspringer	<i>Oreotragus oreotragus</i>	LC
Mountain reedbuck	<i>Redunca fulvorufula</i>	LC
Olive baboon	<i>Papio anubis</i>	LC
Scrub hare	<i>Lepus saxatilis</i>	LC
Slender mongoose	<i>Herpestes sanguinea</i>	LC
Spotted Hyena	<i>Crocuta crocuta</i>	LC
Vervet monkey	<i>Cercopithecus pygerythrus</i>	LC
White-tailed mongoose	<i>Ichneumia albicauda</i>	LC

Snakes

Name	Latin Name	IUCN Status
Black mamba	<i>Dendroaspis polylepis</i>	LC
Eastern Green Mamba	<i>Dendroaspis angusticeps</i>	LC
Boomslang	<i>Dispholidus typus</i>	LC
Black-necked spitting cobra	<i>Naja nigricollis</i>	LC
Twig snake	<i>Thelotornis capensis</i>	LC
African puff adder	<i>Bitis arietans</i>	LC
African rock python	<i>Python sebae</i>	LC
Spotted bush snake	<i>Philothamnus semivariegatus</i>	LC

Other Reptiles

Name	Latin Name	IUCN Status
Jackson's chameleon	<i>Trioceros jacksonii</i>	LC
Leopard tortoise	<i>Stigmochelys pardalis</i>	LC

Dominant FLORA on Darakuta:

Riparian forest:

Name	Latin Name
Mshai (Peacock flower)	<i>Albizia gummifera</i>
Mchengo (Natal mahogany)	<i>Trichilia emetica</i>
Mfurufuru (Broad-Leaved Croton)	<i>Croton macrostachyus</i>
Msesewe (Quinine tree)	<i>Rauwolfia caffra</i>
Ol nanboli (Sycamore fig)	<i>Ficus sycamorus</i>
Mkuu	<i>Ficus wakefieldii</i>
Oldaoboi (Sausage tree)	<i>Kigelia africana</i>

Combretaceous wooded grassland:

Name	Latin Name
Red bush willow	<i>Combretum apiculatum</i>
Raisin bush	<i>Heeria reticulata</i>
Mpoke	<i>Terminalia brownii</i>
Mfuru (African plum)	<i>Vitex dominiana</i>
Msubu (Forest dombeya)	<i>Dombeya rotundifolia</i>
Oldimaroi	<i>Cussonia sp.</i>
Mwera (White thorn)	<i>Acacia seyal var. seyal</i>
Understory: Tall thatching grass	<i>Hyparrhenia sp</i>